

## Din 51502 Din 51825

DIN 51825 German grease classification system  
 JB 12 1 N Product Information Multi-Purpose Grease (K2K-30 ...  
 Fett Din 51825 - growborrow.com  
 DIN 51502 - 1990-08 - Beuth.de  
 Alyvos, tepalai, naftos produktai, Mobil 1 alyva  
 MOL LUBRICATING GREASES  
 DIN 51502 - European Standards Online Store  
 Alyvos, tepalai, naftos produktai, Mobil 1 alyva  
 DIN 51825 - European Standards Online Store  
 Graisses industrielles Mobil  
 Codes for Lubricants Acc. DIN 51502 | Lubricant | Lubrication  
 DIN 51502 : 1990 | LUBRICANTS AND RELATED MATERIALS; D ...  
 DIN 51825 Schmierfette K, ru  
 DIN 51502 - Designation of lubricants and marking of ...  
 CLICK TO CHAT  
 Din 51502 Din 51825  
 DIN 51825 - techstreet.com  
 DIN 51825 - Lubricants - Lubricating greases K ...

Din 51502 Din 51825

Downloaded from [archive.imba.com](http://archive.imba.com) by guest

### VAUGHAN ANTON

*DIN 51825 German grease classification system* Din 51502 Din 51825 Lubrication Guide Applicable DIN Standards K, KP, KF and KPF grease lubricants according to DIN 51825 K grease lubricants. K grease lubricants are high-viscosity lubricants made of mineral oil and/or synthetic oil plus a thickening agent. The addition of active ingredients and/or solid lubricants is permitted. Codes are the same as those in DIN ...Codes for Lubricants Acc. DIN 51502 | Lubricant | Lubrication  
 DIN 51825 German grease classification system. Schmierfett DIN 51825 - K 1 G -20 Grease DIN 51825 K= 1= G = -20 = Grease type (e.g. KP means EP type grease) NLGI Grade (see NLGI classification) Upper operating temperature and water resistance (see table 2) Lower operating temperature  
 DIN 51825 German grease classification system  
 DIN 51825 classification of plastic greases. The most common are as follows:  
 DIN 51825 K - grease made from high viscosity mineral and/or

synthetic oil with a thickener. DIN 51825 KP-K - grease made from additional additives that reduce friction and protect against wear in mixed friction locations. Alyvos, tepalai, naftos produktai, Mobil 1 alyva Multi-Purpose Grease (K2K-30) DIN 51502 Lithium soap multi-purpose grease made from mineral oils, natural in colour. Multi-purpose grease K2 K-30 is particularly suitable for the lubrication of anti-friction and plain bearings in motor vehicles as well as in construction and agricultural machinery. JB 12 1 N Product Information Multi-Purpose Grease (K2K-30 ...buy din 51502 : 1990 lubricants and related materials; designation of lubricants and marking the containers for lubricants, lubrication equipment and lubrication points from sai global  
 DIN 51502 : 1990 | LUBRICANTS AND RELATED MATERIALS; D ...  
 DIN 51825 Classification system Bearing greases can be classified according to DIN 51825. The explanation of the DIN code KP2G-20 is given in the below tables. DIN 51825 for example: K P 2 G - 20 Application area  
 CLICK TO CHAT  
 DIN 51825 Lubricants: Greases K: Classification and specifications Lubricants: Greases K: Classification et specifications 1. ~ ~ NLGI 0 ~ 4 ( DIN 51818), ~ ~ ...

DIN 51502, 06.90 ( 1, " ° 3). 4. ~ ^  
 DIN 51825 Schmierfette K, ru Nach High Performer Mehrzweckfett nach DIN 51502: Wzlagerfett, Gleitlagerfett  
 DIN 51502: KP2 K-30 Spezielles. Spezifikation: Schmierfett DIN 51825-KP2K-30 die Wahl der Schmierfettkonsistenz Einflussgren NLGI-Klasse 1 2 3 Lagerart. I normaler Betriebsbereich Wzlagerfette Knach  
 DIN 51825 II Bereich hoher Schmierfett oder Schmierl nach DIN 51825 ...  
 Fett Din 51825 - growborrow.com  
 DIN 51502 / ISO 6743-9 FIELDS OF APPLICATION CHARACTERISTICS MAIN FEATURES Application description Industries Recommended applications Temperature range Properties NLGI grade - Type of thickener Base oil type and viscosity at 40 °C-on mm<sup>2</sup>/s Solid additives  
 MOL LUBRICATING GREASES  
 Standard 1990-08  
 DIN 51502:1990-08 Designation of lubricants and marking of lubricant containers, equipment and lubricating points German title Schmierstoffe und verwandte Stoffe; Kurzbezeichnung der Schmierstoffe und Kennzeichnung der Schmierstoffbehälter, Schmiergeräte und Schmierstellen  
 DIN 51502 - 1990-08 - Beuth.de  
 DIN 51502 August 1, 1990 Designation of lubricants and marking of lubricant containers,

equipment and lubricating points A description is not available for this item. DIN 51502. October 1, 1967 Lubricants and related material; marking of containers for lubricants, lubrication equipment and lubrication points ...DIN 51502 - Designation of lubricants and marking of ...DIN 51825 Lubricants - Lubricating greases K - Classification and requirementsDIN 51825 - European Standards Online StoreDIN 51825 Lubricants - Lubricating greases K - Classification and requirements. standard by Deutsches Institut Fur Normung E.V. (German National Standard), 06/01/2004. View all product details Most RecentDIN 51825 - techstreet.com220, 460 1-2 -40 150 DIN 51825: (2004-06) KPHC1-2N-40 Graisses pour machines à papier fonctionnant à haute vitesse. Excellente protection contre l'usure. Remarquable comportement en présence d'eau. Températures de service élevées. Mobil SHC™ PF 462(1) PTFE 402- G rai sepo ud vlc tnf à m éx ê .Graisses industrielles MobilClassification of DIN 51524 hydraulic oils. DIN 51825 classification of plastic greases. ISO 6743-4 classification. din-51502-classification. Choose oil for your car. Mobil oil recommendations for your car.Alyvos, tepalai, naftos produktai, Mobil 1 alyvaDIN 51502 Designation of lubricants and marking of lubricant containers, equipment and lubricating points Schmierstoffe und verwandte Stoffe; Kurzbezeichnung der Schmierstoffe und Kennzeichnung der Schmierstoffbehälter, Schmiergeräte und SchmierstellenDIN 51502 - European Standards Online StoreDiese Norm legt ein Verfahren für die mechanisch-dynamische Prüfung von Schmierölen sowie von Schmierfetten (vorwiegend Schmierfette K, nach DIN 51825) der NLGI-Klassen 1 bis 4 nach DIN 51818 fest....DIN 51825 - Lubricants - Lubricating greases K ...SKF LGMT 2 is mineral oil based, lithium soap thickened grease with excellent thermal stability within its operating temperature range. This premium quality, general purpose grease is suitable for a wide range of industrial and automotive applications. Classification of DIN 51524 hydraulic oils. DIN 51825 classification of plastic greases. ISO 6743-4 classification. din-51502-classification. Choose oil for your car. Mobil oil recommendations for your car. [JB 12 1 N Product Information Multi-Purpose Grease \(K2K-30 ...](#) DIN 51825 Lubricants - Lubricating greases K - Classification and requirements [Fett Din 51825 - growborrow.com](#)

DIN 51825 German grease classification system. Schmierfett DIN 51825 - K 1 G -20 Grease DIN 51825 K= 1= G = -20 = Grease type (e.g. KP means EP type grease) NLGI Grade (see NLGI classification) Upper operating temperature and water resistance (see table 2) Lower operating temperature [DIN 51502 - 1990-08 - Beuth.de](#) DIN 51502 August 1, 1990 Designation of lubricants and marking of lubricant containers, equipment and lubricating points A description is not available for this item. DIN 51502. October 1, 1967 Lubricants and related material; marking of containers for lubricants, lubrication equipment and lubrication points ... [Alyvos, tepalai, naftos produktai, Mobil 1 alyva](#) DIN 51502 Designation of lubricants and marking of lubricant containers, equipment and lubricating points Schmierstoffe und verwandte Stoffe; Kurzbezeichnung der Schmierstoffe und Kennzeichnung der Schmierstoffbehälter, Schmiergeräte und Schmierstellen [MOL LUBRICATING GREASES](#) Diese Norm legt ein Verfahren für die mechanisch-dynamische Prüfung von Schmierölen sowie von Schmierfetten (vorwiegend Schmierfette K, nach DIN 51825) der NLGI-Klassen 1 bis 4 nach DIN 51818 fest.... **DIN 51502 - European Standards Online Store** DIN 51825 classification of plastic greases. The most common are as follows: DIN 51825 K – grease made from high viscosity mineral and/or synthetic oil with a thickener. DIN 51825 KP-K – grease made from additional additives that reduce friction and protect against wear in mixed friction locations. [Alyvos, tepalai, naftos produktai, Mobil 1 alyva](#) Din 51502 Din 51825 [DIN 51825 - European Standards Online Store](#) DIN 51825 Lubricants - Lubricating greases K - Classification and requirements. standard by Deutsches Institut Fur Normung E.V. (German National Standard), 06/01/2004. View all product details Most Recent [Graisses industrielles Mobil](#) Nach High Performer Mehrzweckfett nach DIN 51502: Wzlagerfett, Gleitlagerfett DIN 51502: KP2 K-30 Spezielles. Spezifikation: Schmierfett DIN 51825-KP2K-30 die Wahl der Schmierfettkonsistenz Einflussgren NLGI-Klasse 1 2 3 Lagerart. I normaler Betriebsbereich Wzlagerfette Knach DIN 51825 II

Bereich hoher Schmierfett oder Schmierl nach DIN 51825 ... [Codes for Lubricants Acc. DIN 51502 | Lubricant | Lubrication](#) 220, 460 1-2 -40 150 DIN 51825: (2004-06) KPHC1-2N-40 Graisses pour machines à papier fonctionnant à haute vitesse. Excellente protection contre l'usure. Remarquable comportement en présence d'eau. Températures de service élevées. Mobil SHC™ PF 462(1) PTFE 402- G rai sepo ud vlc tnf à m éx ê . DIN 51825 Lubricants: Greases K: Classification and specifications Lubricants: Greises K: Classification et specifications 1. ~ ^ NLGI 0 ~ 4 ( DIN 51818), ~ ~ ... DIN 51502, 06.90 ( 1, " ° 3). 4. ~ ^ [DIN 51502 : 1990 | LUBRICANTS AND RELATED MATERIALS; D ...](#) Standard 1990-08 DIN 51502:1990-08 Designation of lubricants and marking of lubricant containers, equipment and lubricating points German title Schmierstoffe und verwandte Stoffe; Kurzbezeichnung der Schmierstoffe und Kennzeichnung der Schmierstoffbehälter, Schmiergeräte und Schmierstellen **DIN 51825 Schmierfette K, ru** DIN 51825 Classification system Bearing greases can be classified according to DIN 51825. The explanation of the DIN code KP2G-20 is given in the below tables. DIN 51825 for example: K P 2 G - 20 Application area [DIN 51502 - Designation of lubricants and marking of ...](#) DIN 51502 / ISO 6743-9 FIELDS OF APPLICATION CHARACTERISTICS MAIN FEATURES Application description Industries Recommended applications Temperature range Properties NLGI grade - Type of thickener Base oil type and viscosity at 40 °C-on mm2/s Solid additives [CLICK TO CHAT](#) Multi-Purpose Grease (K2K-30) DIN 51502 Lithium soap multi-purpose grease made from mineral oils, natural in colour. Multi-purpose grease K2 K-30 is particularly suitable for the lubrication of anti-friction and plain bearings in motor vehicles as well as in construction and agricultural machinery. [Din 51502 Din 51825](#) SKF LGMT 2 is mineral oil based, lithium soap thickened grease with excellent thermal stability within its operating temperature range. This premium quality, general purpose grease is suitable for a wide range of industrial and automotive applications. [DIN 51825 - techstreet.com](#) buy din 51502 : 1990 lubricants and related materials; designation of lubricants and marking the containers for

lubricants, lubrication equipment and lubrication points from sai  
global  
[DIN 51825 - Lubricants - Lubricating greases K ...](#)

Lubrication Guide Applicable DIN Standards K, KP, KF and KPF  
grease lubricants according to DIN 51825 K grease lubricants. K  
grease lubricants are high-viscosity lubricants made of mineral oil

and/or synthetic oil plus a thickening agent. The addition of active  
ingredients and/or solid lubricants is permitted. Codes are the  
same as those in DIN ...

Related with Din 51502 Din 51825:

- Hyper Tough Digital Deadbolt Instruction Manual : [click here](#)